




Whether you're dreaming of an intimate patio, a practical driveway or a luxurious outdoor living space, Unilock® has a variety of paver and wall options to choose from.









**PAVER:** Natural Stone (Indian Coast) with Natural Stone (Black River) accents

**WALL AND PILLARS:** Lineo® Dimensional Stone (Granite Blend)

#### LEFT


PAVER: Natural Stone (Stone Cliff Grey)
GRILL ISLAND AND FIREPIT: Rivercrest\* Wall
(Buff) and Rivercrest Firepit Kit (Buff)


#### RIGHT

**PAVER:** Richcliff\* (Pebble Taupe and Dawn Mist Blend) with Copthorne\* (3 Color Blend) accent

#### SEAT WALL AND FIREPIT:

Brussels Dimensional Stone® (Limestone) and Ledgestone™ (Buff) steps







PAVER: Artline™ (Steel Mountain)

STEPS AND PILLARS: Brussels Dimensional Stone\* (Limestone) with Natural Stone (Black River) treads and Ledgestone™ (Grey) pillar cap


#### TOP

PAVER: Umbriano\* (Summer Wheat) with Town Hall\* (Burnt Clay) accent and paver rug STEPS: Natural Stone (Indian Coast) with Natural Stone (Indian Coast) coping

#### воттом

Courtstone\* (Basalt) with Copthorne\* (3 Color Blend) and Brussels Block\* (Sandstone) accents







**PAVER:** Umbriano\* (French Grey) with Town Hall\* (Basalt) accent

SEAT WALL AND FIRE FEATURE: U-Cara™ (Granite Fusion) Pitched Face with U-Cara (Opal) Smooth Face accent and Universal (Grey) coping

PLANTERS AND STEPS: U-Cara" (Granite Fusion)
Pitched Face with U-Cara (Opal) Smooth Face
accent and Universal (Grey) coping

PILLARS: U-Cara (Opal) Smooth Face with U-Cara (Granite Fusion) Pitched Face accent and Ledgestone™ (Grey) pillar caps

#### TO

PAVER: Bristol Valley\* (Bavarian Blend) with Copthorne\* (Basalt) accent and walkway

**WALL, PILLARS AND GRILL ISLAND:** Rivercrest\* Wall (Buff) with Natural Stone coping

#### BOTTOM

Artline (Umbriano\* Finish - Midnight Sky and Winter Marvel) with Series™ (Onyx Black) accent



#### TOP

PAVER: Richcliff (Dawn Mist) with Courtstone\* (Basalt) accent GRILL ISLAND, WALL AND WATER FEATURE: Brussels Dimensional Stone\* (Limestone) with Natural Stone (Black River) coping


#### воттом


PAVER: Richcliff" (Dawn Mist) with Brussels Block' (Sandstone) accent FIREPLACE: Lineo\* Dimensional Stone (Granite Blend) with Series™ (Onyx Black) accent and Ledgestone™ (Grey) coping SEAT WALL: Rivercrest\* Wall (Coastal Slate) with Ledgestone™ (Grey) coping

#### OPPOSITE

WALL: U-Cara\* (Granite Fusion Pitched Face) with (Opal Smooth Face) accent and Natural Stone step treads and coping PAVER: Beacon Hill\* Smooth (Opal) with Copthorne\* (Basalt) accent









Tribeca Cobble" (Cobalt Grey) with Tribeca Cobble (Peppered Granite) accent and Copthorne" (3 Color Blend) insert

#### TOP

**PAVER:** Copthorne\* (3 Color Blend) with Brussels Block\* (Sierra) accent

PILLARS: Brussels Dimensional Stone\* (Sierra) with Brussels Fullnose™ (Sierra) coping

#### воттом

**PAVER:** Artline™ (Steel Mountain) with Town Hall® (Basalt) accent

WATER FEATURE, SEAT WALL AND FIREPIT: Lineo\* Dimensional Stone (Sierra) with Ledgestone\*\* (Buff) coping and pillar caps





#### TOP

Beacon Hill™ Smooth (Opal)

#### воттом

PAVER: Beacon Hill Smooth (Granite Fusion)


**WALL:** Lineo® Dimensional Stone (Sierra) with Ledgestone® (Grey) coping


#### OPPOSITE

Richcliff\* (Dawn Mist)











PAVER: Umbriano (Winter Marvel) with Town Hall\* (Basalt)

#### GRILL ISLAND, PILLARS AND FIREPIT:

Rivercrest\* Wall (Coastal Slate) with Copthorne\* (Basalt) accent and Ledgestone™ (Grey) coping and pillar caps

PAVER: U-Cara\* (Granite Fusion) with Umbriano\* (Midnight Sky) accent and Ledgestone™ (Grey) coping


PAVERS: Umbriano\* (Winter Marvel) with Copthorne (Steel Blue) accent

#### воттом

PAVER: Umbriano (Summer Wheat) with Series" (Onyx Black) accent and Artline" (Bavarian Blend) circle inset with Series (Onyx Black) accent

SEAT WALL, PILLARS AND FIREPIT:
Brussels Dimensional Stone\* (Sierra) with Series (Onyx Black) accent and Ledgestone (Buff) coping and pillar caps







Umbriano" (Summer Wheat) with Town Hall" (Burnt Clay) accent and Natural Stone (Indian Coast) step

#### LEFT

PAVER: Bristol Valley\* (Steel Mountain) with Copthorne\* (Basalt) and Brussels Block (Sandstone) accents and Brussels Fullnose™ (Sierra) coping

**WALL:** Olde Quarry\* (Sierra) with Ledgestone (Buff) coping and Brussels Fullnose (Sandstone) treads

#### RIGHT

PAVER: Beacon Hill\* Flagstone (Bavarian Blend) with Mattoni (Cocoa Brown and Dark Charcoal) and Brussels Block\* (Sandstone) accents

**WALL:** Rivercrest\* Wall (Buff) with Ledgestone™ (Buff) coping and pillar caps



#### TOP

PAVER: Beacon Hill" Flagstone
(Alpine Grey) with Courtstone' (Basalt)
and Copthorne' (3 Color Blend) accents
WALL: Estate Wall' (River) with Estate
Wall (River) coping and steps and
Copthorne' (3 Color Blend) insert

#### воттом


PAVER: Umbriano\* (Summer Wheat) with Town Hall\* (Burgundy Red) accent and walkway with Ledgestone™ (Buff) treads

WALL, GRILL ISLAND, PILLARS AND FIREPLACE: Brussels Dimensional Stone\* (Sierra) with Town Hall (Burgundy Red) accent and Ledgestone (Buff) coping and pillar caps

#### OPPOSITE

Town Hall\* (3 Color Blend and Heritage Red)







#### TOP

Umbriano" (Summer Wheat) and Courtstone" (Basalt) accent

#### воттом

Thornbury™ (Alpine Grey) with Town Hall\* (Basalt) accent

#### OPPOSITE

PAVER: Town Hall\* (3 Color Blend) with Brussels Block\* (Sandstone) accent and walkway

WALL AND STEPS: Rivercrest\* Wall (Buff) and Ledgestone™ (Buff) coping









#### **BEST IN SHOW**

**OPPOSITE:**Thornbury" (Bavarian Blend) with Courtstone' (Belgian Blue) accent

**TOP:**Natural Stone (Stone Cliff Grey) with Natural Stone (Black River) coping

Tribeca Cobble™ (Cobalt Grey) with Courtstone® (Dawn Mist) accent



# LEARN LOOK BEYOND THE SURFACE

There's more to a successful project than what you see on the finished surface. The construction of the base and the technology that goes into the products you choose, will determine how it looks in the years to come.



# **UNILOCK®**

#### THE ORIGINAL AND STILL THE BEST

**All products are NOT created equal.** Many products look great when they're first installed, but after time the difference in quality shows. For over 45 years, the very best designers and contractors have relied on Unilock to supply cutting edge paving and wall products that enable them to build extraordinary projects that stand the test of time.

Today, we remain the **only company** in North America with memberships in Eurobeton and Stein + Design, two **prestigious European concrete product innovation groups.** These exclusive relationships continue to put us on the leading edge of style and technology.



#### **CONCRETE AT ITS BEST**



#### **GOOD CLASSIC**

Our budget-friendly, Unilock Classic pavers and walls are manufactured to exceed ASTM standards for quality and strength. Available in classic shapes and styles, these products utilize a traditional **product mix of large and small aggregates** that's consistent from top to bottom with color mixed throughout.

#### BETTER ENDURACOLOR

The refined surface of Unilock EnduraColor products is achieved with a **two step** manufacturing process that combines a base of coarser aggregates for a **stronger** foundation, with concentrated color and **wear-resistant finer aggregates on top.**This process protects the surface from the appearance of fading over time because the top layer prevents large, lighter color aggregates from ever showing through.

### BEST **SELEGANCE**

Deep, rich colors and a multitude of unique Reala™ textures combine to deliver the timeless beauty of Unilock Elegance. From the timeworn look of European cobblestones, to the classic luxury of riven natural stone slabs, our Elegance collection offers styles you can't get anywhere else, and thanks to Ultima Concrete, the look you purchase is the look that will last, with up to 4x the strength of poured in place concrete.



The cost of pavers is only a small portion of the overall project budget.

#### **DON'T COMPROMISE**

#### **Project Cost**



20% Pavers

80% Excavation Gravel Base Labor

Construction
Cross Section

## **EXCLUSIVE UNILOCK® TECHNOLOGIES**

#### **REALA**

A multitude of natural stone surfaces, brick and historic cobblestones were cast to create Unilock products utilizing Reala technology. The result is a wide variety of authentic textures with consistent dimensions which are more cost efficient to install.

#### **REALA TECHNOLOGY PRODUCTS:**

COPTHORNE', COURTSTONE', RICHCLIFF', RIVERCREST' WALL AND TOWN HALL'

#### **ULTIMA**

Only Unilock has the technology to manufacture Ultima Concrete here in North America, resulting in pavers and walls with up to four times the strength of poured concrete. The look you purchase is the look that will last.

#### **ULTIMA CONCRETE TECHNOLOGY PRODUCTS:**

COPTHORNE', COURTSTONE', RICHCLIFF' AND TOWN HALL'

#### Unilock Town Hall pavers are built to last

Deteriorating clay brick pavers exposed to deicing salt



#### **COLORFUSION**

Color and granite particles are randomly dispersed using proprietary ColorFusion technology to achieve a unique mottled surface that resembles natural granite.

#### **COLORFUSION TECHNOLOGY PRODUCTS:**

UMBRIANO® AND U-CARA®



#### **EASYCLEAN**

Unlike after-market sealers which merely coat the top, EasyClean goes beyond the surface and becomes integral to the product during manufacturing. The result is enhanced surface color and protection from stains.

#### **EASYCLEAN STAIN RESISTANCE PRODUCTS:**

ARCANA, ARTLINE™, BRISTOL VALLEY, SENZO AND UMBRIANO

#### There are two EasyClean Factors (CF\*) to choose from:

CLEAN FACTORS (CF)	CF 90	CF 100
Pavers are pre-sealed at the factory		*
Enhanced resistance to weathering	*	*
Reduced dirt absorption	*	**
Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove	*	**

## **CONSTRUCTION 101**

The long-term performance of your project is determined by the **quality of the work** that's done to prepare the base **below** your pavers and walls.



#### 1 | EXCAVATION

The first step in any project is excavation of grass and topsoil.

#### The depth will depend on two factors:

- Soil Type Clay soil requires deeper excavation; sandy soil requires less.
- | Use Heavy loads like driveways and retaining walls require deeper excavation; lighter loads like patios and walkways require less. Depth of excavation can be reduced by adding DriveGrid™ once the soil has been removed.

#### 2 | GRAVEL BASE

The excavated area will be filled with a base gravel.

#### This gravel base needs to be:

- Strong enough to handle the load of whatever is placed on the surface
- Free draining so that water drains out of the base into the subsoil.

  Retaining walls may require a perforated drain pipe in the gravel base to direct water away from the base of the wall.
- **Extended** at least six inches beyond the edges of the finished paver surface.
- | Compacted in several layers, using the proper equipment.

#### **3** | BEDDING LAYER

A 1" (25mm) layer of sand or tiny stone chips is spread out and smoothed on top of the solid gravel base. This layer allows paver or wall units to be leveled or sloped for smoothness and drainage. Some contractors may recommend a poured concrete surface instead of a typical bedding layer, which is fine as long as the concrete is accurately poured and sits on a stable and well-drained base. *Note:* Once concrete is poured, the height of paver or wall units can no longer be adjusted.

#### **4** | RESTRAINT SYSTEM

For pavers, an edge restraint will be secured with long metal spikes to prevent perimeter pavers from drifting out. For walls, glue may be used to secure rows of blocks and for larger retaining walls may require geogrid may be used every few layers to secure the wall into the soil that is being retained.

#### **5** | JOINT MATERIAL

The color you choose for joint material impacts the overall aesthetic. It also plays an important role between pavers, in keeping weeds and other debris out. Your contractor can help you decide which joint material is right for your project.



#### There are two types of joint material to choose from:

**Basic Jointing Sand** - Years ago, this was the only joint material available. As it wore away, issues with weeds could arise. If you choose a basic sand, we recommend that you use a joint stabilizing sealer and be prepared to replenish the sand when needed.

**Polymeric Sand** - This special sand stays in place longer because it is combined with a binding agent. However, it's not right for every project and needs to be installed with care to prevent hazing.

#### 6 | SEALING

Unilock pavers will be durable with, or without, a sealer. Some homeowners choose to apply a sealer to enhance the color of the pavers, while others choose to appreciate the color of the pavers as they are. Some Unilock pavers are sold factory sealed. If you choose to seal, you should plan to re-seal every 3-5 years.




**REMEMBER** A quality project relies on a quality foundation. We recommend hiring a professional contractor.


Need help finding a qualified contractor?

Call us at 1-800-UNILOCK or register online at Unilock.com and we'll match you with a Unilock\* Authorized Contractor in your area.

#### **PAVER CONSTRUCTION**



#### WALL CONSTRUCTION







# PERMEABLE PROJECTS A GREENER CHOICE!

More and more homeowners are installing **permeable** paver projects to help direct rainwater away from storm sewer systems and back into the **natural ecosystem**.

We take pride in offering the widest selection of permeable pavers in North America. From traditional finishes such as Town Hall\*, the only rustic style permeable paver in North America, to the contemporary styling of Eco-line\*, there is a permeable Unilock product to suit any project.



Look for these Unilock Permeable Products:

Eco-Priora<sup>™</sup>
Town Hall<sup>®</sup>
Thornbury<sup>™</sup>
Tribeca Cobble<sup>™</sup>
Umbriano<sup>®</sup>




The pavers used in a permeable installation look similar to traditional pavers, but are made with extra space between them so rainwater can more easily flow back into the earth below.

Special materials are used in the permeable base and joints to encourage water to flow through.



Some homeowners install rainwater collection systems underneath their paver projects to supply water to in-ground sprinkler systems!





**INTERESTING FACT** Permeable pavers will accumulate less ice because water drains from the paver surface before it has time to freeze.

## PROJECT MAINTENANCE

#### **WEEDS CAN BE PREVENTED**

When a proper base is installed, there is no soil directly beneath your pavers from which weeds can grow. However, if the joints are not kept full with jointing material, it is possible for dirt and weed seeds to blow in from the surrounding area and germinate in the joints.

**In the past** - a basic sand was the only jointing material available. Unless it was replenished regularly, rain would erode the sand, leaving joints vulnerable to weeds.

**Today** - new varieties of sand stabilizing compounds and polymeric jointing material are available which **relieves homeowners from this maintenance burden.** See page 30 for more information on jointing material choices.

# A SOLID FOUNDATION PREVENTS SETTLING

When the base of your project is properly constructed, water will not accumulate underneath and cause settling.

See page 29 for more information on proper construction.

#### TO SEAL OR NOT TO SEAL

Some homeowners choose to apply a sealer to their project surface when it's finished, to enhance the color of their pavers. Others choose to appreciate the color of the pavers as they are. Unilock pavers will be durable with or without a sealer. If you choose to seal your project after its installed, you should plan to re-seal every three to five years.


# THE CHOICE OF DESIGN PROFESSIONALS

The same Unilock\* products available to homeowners are relied on by architects, landscape architects and engineers, to create world class commercial spaces across North America.














# THE CHOICE OF THE BEST CONTRACTORS & CRAFTSMEN

Like a good artist needs the right paint, the best contractors use exclusive Unilock colors, textures and styles to showcase their creativity and workmanship.





### **CHOOSING A CONTRACTOR**

Choosing the right contractor for your project is the most **important decision.** Even the best materials can be spoiled by poor installation and workmanship.

#### WORKMANSHIP

ago so you can see <b>how their work holds up</b> over time.
Ask to see projects the contractor completed more than two years

- Are the pavers laid in a way that minimizes awkward cuts? Are the curves of the project cut in a way that minimizes large gaps?
- ☐ Have edge restraints been used and still in place?
- ☐ How long does the contractor **guarantee** the work? How many warranty claims has the company had in the past two years?

### **SUB-CONTRACTING**

Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask the contractor about these sub-contractors and how they will be managed.

### RELEVANT EXPERIENCE

- ☐ How long has the contractor been installing pavers and walls?
- ☐ Has the contractor installed projects in the past with the features you're considering (e.g., a raised patio, retaining wall or water feature)?

### **BASE PREPARATION**

- ☐ What are the contractor's base preparation methods? What materials are used and why?
- ☐ Is there a standard procedure for base preparation or will the contractor assess **your site's unique needs?**





### HAVING TROUBLE FINDING A CONTRACTOR?

Contact us at **1-800-UNILOCK** or register online at **Unilock.com** to take advantage of our Unilock\* Authorized Contractor referral program. We'll match you with a local contractor who is guaranteed to do the job right.

### **TIMING**

- Ask the contractor how far in advance they are booking projects and **how long your project might take**.
- ☐ What is the contractor's payment terms?
- ☐ Is an upfront deposit required to **secure the timing** of the project?

### **DOCUMENTATION**

- ☐ Does the contractor have the **proper licensing** for their work?
- ☐ Does the contractor have **liability insurance** and are employees covered by Workers Compensation?
- ☐ Will there be permits required for the job and if so, who is responsible to secure them?

### **COMPATIBILITY**

- ☐ Do you like this contractor? Can you **easily communicate** and understand each other? Is this someone you can trust?
- Ask if the person you're meeting will be on site throughout the project or if someone else in the company will be your day-to-day contact person.
- ☐ Contacting **references** can help you understand how the contractor operates throughout a project.



### **DESIGN**

- ☐ Does the contractor offer a design service? Is there a cost for this? Is the design hand drawn or rendered in 3D?
- Are the contractor's designs something you would like for your project?

# PROJECT MANAGEMENT TIPS

### 1 | BUDGET

Ask your contractor to provide **good/better/best versions** of the project, or perhaps a budget that phases your project into several stages. Some contractors can even offer **payment plans** so you don't have to pay for your project right away.

### 2 | TIMELINE

Be sure to tell your contractor if there is a **deadline** by which the project absolutely must be completed. Rainy weather sometimes impacts the timing of projects, so be sure to understand what happens in the event of a delay.

### **3** | GROUND RULES

Your contractor's crew will be on your property on a daily basis. Agree to **ground rules** before the project begins. What time will work begin and end each day? What is their daily clean up routine? Where will products and equipment be stored on the site? Will they require access to your home or garage?

### 4 | COMMUNICATION

Establish in advance **who to contact if you have concerns** and how often you'd like your contractor to provide you with updates. If you notice something that doesn't look right on your project, be sure to let your contractor know right away.

### **5 | CHANGES**

Even the best managed projects occasionally run into unforeseen circumstances. Be sure to understand the contractor's procedure for handling changes.

### 6 | PROJECT WRAP UP

If you're happy with the completed project, be sure to recommend your contractor to friends and neighbors, and don't forget to register for your Unilock product warranty at Unilock.com.

### **DESIGN CONSIDERATIONS**


### **OUTDOOR LIVING**

### **EXPAND YOUR HOME**

A new outdoor living space can **add functional square footage** to your existing home by providing a new space to relax and entertain. Consider first how you would like to use the space, and then design it as an extension of your interior decorating style. Even a small space can appear bigger by using different paver colors, paver borders, elevation changes and seat walls to define distinct areas for cooking, eating and relaxing.

### **OUTDOOR ROOMS**

Fire features are growing in popularity because they add visual interest and warmth that makes the space more enjoyable to use in cooler weather. Lighting installed in gardens, low walls, steps and pillars will also help draw people outside in the evening and adds visual appeal that you can enjoy from inside your home. Snow-covered pillars and walls can make beautiful accents to your property in the winter months.





### **POOL DECKS**

### SIZE MATTERS

When planning your pool deck, **four feet is the minimum perimeter** around the pool for basic access. However, if you intend to use the pool deck as a patio for entertaining or sunbathing, you'll need to increase this significantly. Be sure to keep in mind the size of your outdoor furniture; it's typically much bigger than indoor furniture!

#### SAFETY CONSIDERATIONS

The paver you choose for your pool deck deserves special consideration because you'll be **walking on it in your bare feet!** Be sure to choose a color that **won't absorb too much heat** from the summer sun. A smoother surface is pleasing to walk on, but make sure it's sufficiently **non-slip.** Umbriano\* is our most popular choice for pool decks. For the coping around the edge of the pool, avoid products with abrasive edges. A contrasting coping color or inset border is also something to consider, as it helps define the pool edge.


### **DRIVEWAYS**

### **CURB APPEAL**

A paver driveway is **an investment that adds instant curb appeal** and value to your home. When choosing a paver product it's generally a good idea to complement the main color of your home rather than to try to match it. Then, consider borders and accents to draw out specific colors from your home and create continuity. Consider adding vertical features like pillars, planters and decorative walls to further enhance the beauty of your driveway.

### **THINK GREEN**

Permeable pavers allow rainwater to flow between the joints, through special base materials and into the subsoil below. This reduces puddling on the driveway surface when it rains, and reduces ice build-up in winter. It also provides a dual "green" benefit; not only does it reduce the amount of water that flows into storm sewers but it also provides moisture to surrounding plant material.







### **ENTRANCES**

### **WELCOME GUESTS**

A great looking front entrance gives guests a warm welcome. Attractive steps that are wide enough to easily navigate, **low garden walls and planter boxes**, and smartly placed lighting all contribute to a cozy feeling that smooths the transition from the street to your home. As a general rule, the minimum width for any walkway is four feet.

### A PLACE TO SIT

Even a modest front yard can usually accommodate a small courtyard seating space, where a morning coffee can be enjoyed or parents can observe their children playing with neighborhood friends.



## NEED MORE DESIGN IDEAS? VISIT OUR UNILOCK OUTDOOR IDEA CENTER

SEE


An expansive display of Unilock\* products in a life-size outdoor setting.

To our knowledgeable staff and we'll help you create a plan to achieve the outdoor space you're dreaming about.

**TAKE** FREE samples of Unilock paver and wall products home with you.

Please feel free to walk around and browse our Outdoor Idea Center at any time. Call ahead for staffed hours. Call 1-800-UNILOCK or visit Unilock.com for more details.

301 E. Sullivan Rd. Aurora, IL 60505



# VISUALIZING YOUR PROJECT DESIGN

A detailed design requires a great deal of time and effort, so you can understand why many contractors charge for this service in advance.

### TRADITIONALLY, LANDSCAPE DESIGNS WERE HAND DRAWN TO SCALE ON GRAPH PAPER.

While there are many contractors and designers who still prefer to draw by hand, more and more plans today are being created digitally and in 3D.

If you're having trouble imagining what your project will look like when it's complete, a 3D design can really help.



Contact us at **1-800-UNILOCK** or register online at **Unilock.com** to take advantage of our Unilock\* Authorized Contractor referral program. We'll take the time to understand your project, and will match you with a local contractor who offers a 3D design service and is guaranteed to do the job right.




3D Rendering



Completed Job





technology, Unilock® has the perfect choice for your project.

### **CLASSIC**

Our budget-friendly, Unilock Classic pavers and walls are manufactured to exceed ASTM standards for quality and strength. Available in classic shapes and styles, these products utilize a traditional product mix of large and small aggregates that is consistent from top to bottom with color mixed throughout.

### STONEMARK

The highly detailed surface texture of StoneMark products is created using Reala Technology.

Combined with careful color blending, the result is surface texture and color variation resembling natural stone, but with the durability and precision of a manufactured paver or wall product.

### **ENDURACOLOR**

The refined surface of Unilock EnduraColor products is achieved with a **two step manufacturing process** that combines a base of coarser aggregates for a **stronger foundation,** with concentrated color and **wear-resistant finer aggregates on top.** This process protects the surface from the appearance of fading over time because the top layer prevents large, lighter color aggregates from ever showing through.

### **PERMEABLE**

To reduce the amount of rainwater that flows off the surface of your new pavers and into storm sewers, consider a permeable paving system. Unilock permeable pavers have extra wide joint spaces and are installed on a special aggregate base so water flows through, replenishing the natural ecosystem.

## **♦** ELEGANCE

Deep, rich colors and a multitude of unique Reala<sup>™</sup> textures combine to deliver the timeless beauty of Unilock Elegance. From the timeworn look of European cobblestones, to the classic luxury of riven natural stone slabs, our Elegance collection offers styles you can't get anywhere else and thanks to Ultima<sup>™</sup> Concrete, the look you purchase is the look that will last, with up to 4x the strength of poured in place concrete.







UNILOCK' COLLECTION OF

# PAVERS & SLABS

Whether your project is a light-duty patio or a heavy-duty driveway, the range of Unilock choices has never been better. From classic pavers to luxurious large-scale options, Unilock offers style and technology you can't get anywhere else.





# **WESTPORT**<sup>™</sup>







**TECHNICAL ADVANTAGES** 

**CLASSIC** 

DRIVE FRIENDLY

Can handle vehicular loads



LARGE RECTANGLE  $10 \times 15 \times 2\frac{3}{4}$ "  $25.4 \times 38 \times 7$ cm



SQUARE 10 x 10 x 2¾" 25.4 x 25.4 x 7cm



RECTANGLE 5 x 10 x 2¾" 12.7 x 25.4 x 7cm



RECTANGLE 5 × 10 × 2¾" 12.7 × 25.4 × 7cm ALSO SOLD SEPARATELY

RANDOM BUNDLE



# **OLDE GREENWICH COBBLE®**







**TECHNICAL ADVANTAGES** 

**CLASSIC** 

DRIVE FRIENDLY

Can handle vehicular loads





MEDIUM RECTANGLE 4¾ x 7 x 2¾" 12 x 18 x 6cm



# **BRUSSELS BLOCK®**





SANDSTONE



LIMESTONE



SIERRA



RIVER NOT AVAILABLE IN COPING NEW FOR 2019

### TECHNICAL ADVANTAGES

### **CLASSIC**

### **ANTIQUED FINISH**

Distressed, timeworn finish

### **DRIVE FRIENDLY**

Can handle vehicular loads



XL STONE 8¼ x 13¾ x 2¾" 20.8 x 34.8 x 7cm



STANDARD STONE 6% x 8% x 2%" 17.3 x 20.8 x 7cm



HALF STONE 41/8 × 67/8 × 23/4" 10.4 × 17.5 × 7cm



FULLNOSE COPING 6 x 12 x 2¾" 15 x 30.5 x 7cm



NON-ANTIQUED FULLNOSE COPING ALSO AVAILABLE





# **ECO-PRIORA**



RIVER CLASSIC SMOOTH



SABLE BLEND ENDURACOLOR



SIERRA CLASSIC SMOOTH



HERITAGE BROWN ENDURACOLOR

### TECHNICAL ADVANTAGES

### **CLASSIC**

### **ENDURACOLOR**

Refined surface and long-lasting color

#### **DRIVE FRIENDLY**

Can handle vehicular loads



Can be installed to allow water to flow through

# **CAMELOT**<sup>™</sup>



AUTUMN RED



SIERRA



RECTANGLE 6¼ x 9½ x 3½" 16 x 24 x 8cm



CHARCOAL

### TECHNICAL ADVANTAGES

### **CLASSIC**

### **DRIVE FRIENDLY**

Can handle vehicular loads



Visit Unilock.com for laying patterns.

RECTANGLE

5 x 10 x 31/8"

12 x 24 x 8cm

NEW FOR 2019



# **HOLLANDSTONE®**



TECHNICAL ADVANTAGES

**CLASSIC** 

**DRIVE FRIENDLY** 

Can handle vehicular loads

Visit Unilock.com for laying patterns.

4 x 8 x 23/8" 10 x 20 x 6cm

52



# IL CAMPO®





## ENDU Refined

### BAVARIAN BLEND GRANITE AVAILABLE IN 4 x 8" ONLY

HERITAGE BROWN

TECHNICAL ADVANTAGES

### **ENDURACOLOR**

Refined surface and long-lasting color

### **BRUSHED FINISH**

Graphically interesting etched lines

### DRIVE FRIENDLY

Can handle vehicular loads



6 x 8 x 2¾" 15 x 20 x 7cm



6 x 6 x 2¾" 15 x 15 x 7cm



4 x 6 x 2¾" 10 x 15 x 7cm



4 x 8 x 2¾" 10 x 20 x 7cm SOLD SEPARATELY

RANDOM BUNDLE



# HOLLAND PREMIER



**BROWN** 



HERITAGE BROWN



RIVER



CHARLESTON





**GRANITE BLEND** 



SIERRA

### TECHNICAL ADVANTAGES

### ENDURACOLOR®

Refined surface and long-lasting color

### **DRIVE FRIENDLY**

Can handle vehicular loads



STANDARD 4 x 8 x 23/8" 10 x 20 x 6cm

Visit Unilock.com for laying patterns.





# **BRUSSELS PREMIER**







### TECHNICAL ADVANTAGES

### **ENDURACOLOR**

Refined surface and long-lasting color

### **ANTIQUED FINISH**

Distressed, timeworn finish

### **DRIVE FRIENDLY**

Can handle vehicular loads



XL STONE 8½ x 13¾ x 2¾" 20.8 x 34.8 x 7cm



STANDARD STONE 61/8 × 81/4 × 23/4" 17.5 × 20.8 × 7cm




SYCAMORE

HALF STONE 41/8 x 67/8 x 23/4" 10.4 x 17.5 x 7cm

56





# **THORNBURY**







### TECHNICAL ADVANTAGES

### **ENDURACOLOR**

Refined surface and long-lasting color

### **DRIVE FRIENDLY**

Can handle vehicular loads

### PERMEABLE

Can be installed to allow water to flow through



LARGE RECTANGLE 13¾ x 16½ x 2¾" 35 x 42 x 7cm



MEDIUM RECTANGLE 13¾ × 8¼ × 2¾" 35 × 21 × 7cm




SMALL RECTANGLE 6% x 8% x 2¾" 17.3 x 21 x 7cm

RANDOM BUNDLE

58





# BEACON HILL FLAGSTONE







### TECHNICAL ADVANTAGES

### **ENDURACOLOR**

Refined surface and long-lasting color

### **DRIVE FRIENDLY**

8cm pavers can handle vehicular loads



LARGE RECTANGLE 21½ X 14½ x 2¾ or 3½" 54 x 36 x 6cm or 8cm



SQUARE 141/8 x 141/8 x 23/8 or 31/8" 36 x 36 x 6cm or 8cm



SMALL RECTANGLE 71/16 x 141/8 x 23/8 or 31/8" 18 x 36 x 6cm or 8cm



XL UNIT 21 x 35 x 23/8" 54 x 90 x 6cm SOLD SEPARATELY

RANDOM BUNDLE AVAILABLE IN BOTH 6CM & 8CM



### BEACON HILL™ FLAGSTONE

### TOP

Bavarian Blend with Mattoni (Cocoa Brown and Dark Charcoal) and Brussels Block' (Sandstone) accents

#### воттом

**PAVER:** Bavarian Blend with Brussels Block (Sandstone) and Copthorne\* (Basalt) accents

**STEPS:** Brussels Dimensional Stone\* (Sandstone) with Ledgestone™ (Buff) coping

### OPPOSITE

**PAVER:** Alpine Grey with Copthorne (Burgundy Red) accent

**WALL:** Estate Wall\* (Sierra) and Ledgestone (Grey) coping









# BEACON HILL SMOOTH







### **TECHNICAL ADVANTAGES**

### **ENDURACOLOR**

Refined surface and long-lasting color

### PEDESTRIAN ONLY

8cm drive friendly available by special order



LARGE RECTANGLE 21¼ X 14½ x 2¾" 54 x 36 x 6cm



**GRANITE FUSION** 

SQUARE 141/8 x 141/8 x 23/8' 36 x 36 x 6cm



SMALL RECTANGLE 71/16 × 141/8 × 23/8" 18 × 36 × 6cm



XL UNIT 21 x 35 x 23/8" 54 x 90 x 6cm SOLD SEPARATELY

RANDOM BUNDLE

BAVARIAN



### BEACON HILL™ SMOOTH

### ТОР

Granite Fusion with Copthorne\* (Basalt) accent and Rivercrest\* Wall (Buff) with Ledgestone™ (Buff) coping

#### воттом

Opal with Mattoni (Dark Charcoal) accent

### OPPOSITE

Opal with Mattoni (Dark Charcoal) accent









# **BRISTOL VALLEY®**







STEEL MOUNTAIN

### TECHNICAL ADVANTAGES

### **ENDURACOLOR**

Refined surface and long-lasting color

### EASYCLEAN™ STAIN RESISTANCE - CF 90

Factory sealed to provide integral surface protection from stains

### PEDESTRIAN ONLY

8cm drive friendly available by special order



LARGE RECTANGLE 21½ X 14½ x 2¾" 54 x 36 x 6cm

SQUARE 14½ x 14½ x 2¾" 36 x 36 x 6cm SMALL RECTANGLE 71/16 × 141/16 × 23/16" 18 × 36 × 6cm



XL UNIT 21 × 35 × 2¾" 54 × 90 × 6cm SOLD SEPARATELY

RANDOM BUNDLE



### **BRISTOL VALLEY**®

### TOP

PAVER: Steel Mountain WALL: Rivercrest\* Wall (Coastal Slate) and Ledgestone™ (Buff) coping and pillar caps

### воттом

PAVER: Steel Mountain with Copthorne®

(Basalt) accent

**WALL:** Olde Quarry\* (Sierra)

### OPPOSITE

Copper Ridge with Copthorne (3 Color Blend) accent and Natural Stone steps









# **MATTONI**

TECHNICAL ADVANTAGES

**ENDURACOLOR** 









## ANTIQUED FINISH

Distressed, timeworn finish


Refined surface and long-lasting color

### DRIVE FRIENDLY

Can handle vehicular loads

STANDARD 2½ x 9½ x 2¾" 6 x 24 x 7cm

Laying patterns can be found on page 148.



# **ARTLINE**

COLORS\*

BAVARIAN BLEND - SMOOTH FINISH



COPPER RIDGE - SMOOTH FINISH



STEEL MOUNTAIN - SMOOTH FINISH



**BAVARIAN BLEND - ANTIQUED FINISH** 



COPPER RIDGE - ANTIQUED FINISH



STEEL MOUNTAIN - ANTIQUED FINISH

### TECHNICAL ADVANTAGES

### **ENDURACOLOR**

Refined surface and long-lasting color

### **EASYCLEAN™ STAIN RESISTANCE - CF 90**

Factory sealed to provide integral surface protection from stains

#### **ANTIQUED FINISH**

Distressed, timeworn finish

#### **BRUSHED FINISH**

Graphically interesting etched lines

### UMBRIANO® FINISH

**COLORFUSION**™ **TECHNOLOGY** 

Subtly mottled color finish

### **DRIVE FRIENDLY**

Can handle vehicular loads



BAVARIAN BLEND - IL CAMPO® BRUSHED FINISH



GRANITE BLEND - IL CAMPO BRUSHED FINISH




MIDNIGHT SKY - UMBRIANO FINISH







 $17\frac{3}{4} \times 7\frac{1}{2} \times 2\frac{3}{4}$ " 45 x 18.75 x 7cm



87/8 x 71/2 x 23/4" 22.5 x 18.75 x 7cm

6¾ x 4<sup>7</sup>/<sub>8</sub> x 2¾"



133/8 x 7½ x 2¾" 33.75 x 18.75 x 7cm



133/8 x 47/8 x 23/4" 33.75 x 12.5 x 7cm



## $ARTLINE^{\mathsf{m}}$

### TOP

PAVER: Bavarian Blend with Town Hall\*
(Basalt) accent
WALL: Lineo\* Dimensional Stone (Sierra)
with Ledgestone™ (Buff) coping

### воттом

Copper Ridge Antiqued Finish with Copthorne\* (Burgundy Red) accent

### OPPOSITE

Winter Marvel and Midnight Sky (Umbriano\* Finishes)







#### TOP

Indian Coast with Black River banding

### воттом

PAVER: Stone Cliff Grey

GRILL ISLAND AND FIREPIT:

Rivercrest" Wall (Buff) and Rivercrest Firepit (Buff)



## NATURAL STONE

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

### **SANDSTONE**







**AUTUMN HARVEST** INDIAN COAST

### **LIMESTONE**







BLACK RIVER HEARTHSTONE WINTER MIST







NATURAL EDGE COPING 6' 12 x 72 x 2" 30 x 183 x 5cm



FULLNOSE COPING 4' 12 x 48 x 2" 30 x 120 x 5cm 30 x 183 x 5cm






NATURAL EDGE STEP 16 x 48 x 6" 40 x 120 x 15cm



24" PILLAR CAP 24 x 24 x 4" 60 x 60 x 10cm

28" PILLAR CAP 28.5 x 28.5 x 4" 72 x 72 x 10cm

PLEASE CONTACT YOUR CONTRACTOR OR A LOCAL UNILOCK AUTHORIZED DEALER FOR MORE INFORMATION AND AVAILABILITY. LOOKING FOR MORE INFORMATION? Contact us at 1-800-UNILOCK to receive your free Natural Stone catalog today!



### TOP

Gotham Nero

### воттом

Arbor Natural




# **PORCELAIN TILE**

Suitable for wood deck and concrete overlays.







# **RIVENSTONE**







### TECHNICAL ADVANTAGES

### **STONEMARK**

Naturally detailed surface

### **REALA™ TECHNOLOGY**

Cast from natural flagstone

PEDESTRIAN ONLY



4 x 1¾" 60 x 4.5cm

12 x 24 x 1¾" 30 x 60 x 4.5cm



# **UMBRIANO**®

COLORS\*

FRENCH GREY



WINTER MARVEL



**ARTLINE SIZE** - MIDNIGHT SKY See page 74 for more information



21 x 14 x 23/8"



**SQUARE** 14 x 14 x 23/8" 36 x 36 x 6cm



SMALL RECTANGLE 7 x 14 x 23/8"



### **TECHNICAL ADVANTAGES**

### ENDURACOLOR"

Refined surface and long-lasting color

### **EASYCLEAN™ STAIN RESISTANCE - CF 90**

Factory sealed to provide integral surface protection from stains

### **COLORFUSION™ TECHNOLOGY**

Subtly mottled color finish

#### PEDESTRIAN ONLY

6cm pedestrian traffic only 8cm drive friendly available by special order



SUMMER WHEAT

MIDNIGHT SKY



**ARTLINE SIZE** - WINTER MARVEL See page 74 for more information



LARGE RECTANGLE 54 x 36 x 6cm



18 x 36 x 6cm



RANDOM BUNDLE

 $4 \times 8 \times 2^{3/8}$ " 10 x 20 x 6cm



PERMEABLE

Can be installed to allow water to flow through



## **UMBRIANO®**

### TOP

PAVER: Summer Wheat with Town Hall\*

(Burnt Clay) accent

**STEPS:** Natural Stone (Indian Coast)

coping and steps

### воттом

Midnight Sky with Copthorne\* (Basalt) accent

### OPPOSITE

Summer Wheat










# **ARCANA**<sup>TM</sup>







# **SERIES**<sup>™</sup>




### TECHNICAL ADVANTAGES

### ENDURACOLOR"

Refined surface and long-lasting color Granite, Quartz and Marble surface materials

### DRIVE FRIENDLY

Can handle vehicular loads



Laying patterns can be found on page 148.





# TRIBECA COBBLE<sup>™</sup>





**COBALT GREY** 

COBALI GRET



LARGE RECTANGLE 51/8 x 12 x 23/4" 13 x 30.5 x 7cm



MEDIUM RECTANGLE  $5\frac{1}{8} \times 9 \times 2\frac{3}{4}$ "  $13 \times 23 \times 7$ cm

PEPPERED GRANITE



SMALL RECTANGLE 51/8 x 7 x 23/4" 13 x 17.5 x 7cm

### TECHNICAL ADVANTAGES

### **ENDURACOLOR**

Refined surface and long-lasting color Granite, Quartz and Marble surface materials

### **DRIVE FRIENDLY**

Can handle vehicular loads



Can be installed to allow water to flow through

RANDOM BUNDLE



# $SKYLINE^{\text{m}}$



23% x 23% x 2" 60.6 x 60.6 x 5cm



MEDIUM GREY

PERFECT FOR ROOF DECKS AND OTHER RAISED FLOOR APPLICATIONS

### TECHNICAL ADVANTAGES

### **ENDURACOLOR**

Refined surface and long-lasting color

PEDESTRIAN ONLY

CHAMOIS



# **SENZO**<sup>™</sup>







NUVOLA

### TECHNICAL ADVANTAGES

### **ENDURACOLOR**

Refined surface and long-lasting color

### **EASYCLEAN™ STAIN RESISTANCE - CF 100**

Factory sealed to provide integral surface protection from stains

### **DRIVE FRIENDLY**

Can handle vehicular loads



RECTANGLE 8 x 16 x 23/4" 20 x 40 x 7cm

Visit Unilock.com for laying patterns.






Inspired by the texture of natural cut flagstone, Richcliff offers superior durability and timeless appeal for driveways, patios, walkways and commercial projects.

A multitude of stone textures were cast using Reala™

Technology, to ensure that finished projects will have a completely random, and natural appearance. And unlike natural stone, which can crack, split and fade, Richcliff is virtually indestructible. Ultima™ Concrete

Technology makes Richcliff up to four times stronger than conventional poured concrete. A new large rectangle size is now available for use on its own or in combination with the traditional 3-stone random bundle for expanded patterning options and a larger scale look.








DAWN MIST



PEBBLE TAUPE / DAWN MIST BLENDED ON SITE



SQUARE 9 x 9 x 23/8" 22.6 x 22.6 x 6cm



SMALL RECTANGLE 6 x 9 x 23/8" 15 x 22.6 x 6cm

### **RICHCLIFF®**

### **TECHNICAL ADVANTAGES**

## **ELEGANCE**

Deep rich colors and unique textures

### **REALA™ TECHNOLOGY**

Cast natural stone

### **ULTIMA™ CONCRETE TECHNOLOGY**

Up to 4x stronger than poured-in-place concrete

### **DRIVE FRIENDLY**

Random Bundle can handle vehicular loads



LARGE RECTANGLE 21 x 12 x 23/8" 52.8 x 30.2 x 6cm **SOLD SEPARATELY** 

PEBBLE TAUPE

SMOKE SHALE





## **♦** ELEGANCE

# **COURTSTONE®**

The polished look of Courtstone brings a luxurious, old-world elegance to driveways and walkways, with Ultima™ which provides up to four times the strength of conventional poured concrete. Using Reala™ Technology, the unique shapes of Courtstone were cast from real European cobblestones, but manufactured with a consistent base for efficient installation and superior interlock. It's a look that has remained popular for centuries. The stone's non-linear shape means it's possible to create smooth looking curves with minimal cuts. This, in combination with a rich color palette, makes Courtstone a frequent choice for borders and banding accents.







BASALT



DAWN MIST



BELGIAN BLUE



PEBBLE TAUPE



BASALT / BELGIAN BLUE BLENDED ON SITE



DAWN MIST / PEBBLE TAUPE

### **COURTSTONE®**

### TECHNICAL ADVANTAGES



Deep rich colors and unique textures

### **REALA™ TECHNOLOGY**

Cast from historic European cobble stones

### **ULTIMA™ CONCRETE TECHNOLOGY**

Up to 4x stronger than poured-in-place concrete

### **DRIVE FRIENDLY**

Can handle vehicular loads



XL RECTANGLE 51/8 x 83/8 x 23/8" 13 x 21.5 x 6cm



LARGE RECTANGLE 51/8 x 71/4 x 23/8" 13 x 18.5 x 6cm



RECTANGLE 51/8 x 61/2 x 23/8" 13 x 16.5 x 6cm



SMALL RECTANGLE 51/8 x 53/4 x 23/8" 13 x 14.5 x 6cm



SQUARE 51/8 x 51/8 x 23/8" 13 x 13 x 6cm

RANDOM BUNDLE






## **♦** ELEGANCE

# TOWN HALL

The substantial proportions and unique color blending of Town Hall is modeled after historic North American clay street pavers. The timeless look makes it an excellent choice for driveways, patios, walkways and more, in either traditional or permeable applications. The rich colors and classic shape also make it popular for borders, banding and other accents in pavers, walls and vertical features. To ensure projects have a random appearance, Town Hall textures were cast from a multitude of different surfaces using Reala™ Technology, and Ultima™ Concrete Technology was used to create superior durability. The result is vintage, streetscape charm that stands the test of time.







**BURGUNDY RED** 



HERITAGE RED









STANDARD  $4 \times 9\frac{3}{4} \times 2\frac{3}{4}$ " 10 x 25 x 7cm

BURNT CLAY

OLD OAK



HERITAGE 2 COLOR BLEND BLENDED ON SITE



3 COLOR BLEND BLENDED ON SITE



BASALT

### **TOWN HALL®**

### TECHNICAL ADVANTAGES

### **ELEGANCE**

Deep rich colors and unique textures

### **REALA™ TECHNOLOGY**

Cast from historic brick

### **ULTIMA™ CONCRETE TECHNOLOGY**

Up to 4x stronger than poured-in-place concrete

### **DRIVE FRIENDLY**

Can handle vehicular loads



Can be installed to allow water to flow through

Laying patterns can be found on page 148.





# ELEGANCE COPTHORNE

Inspired by the rich color and timeworn beauty of European street pavers, Copthorne offers more delicate dimensions than Town Hall\*. These proportions make it possible to design curved walkways and borders using Copthorne, without the need for cutting. Cast using Reala™ Technology for an authentic surface appearance, and using Ultima™ Concrete Technology to deliver up to four times the strength of conventional poured concrete, Copthorne offers timeless beauty for driveways, walkways, patios, vertical feature accents and more.







**BURGUNDY RED** 



**3 COLOR BLEND BLENDED ON SITE** 



BURNT CLAY



BASALT



OLD OAK



STEEL BLUE

#### **COPTHORNE®**

TECHNICAL ADVANTAGES



Deep rich colors and unique textures

#### **REALA™ TECHNOLOGY**

Cast from historic brick

#### **ULTIMA™ CONCRETE TECHNOLOGY**

Up to 4x stronger than poured-in-place concrete

#### **DRIVE FRIENDLY**

Can handle vehicular loads



STANDARD 2½ x 7½ x 2¾" 6.5 x 20 x 6cm

Laying patterns can be found on page 148.

110





#### **PAVERS**

## BORDERS & BANDING

Like crown molding provides the finishing touch to a room in your home, smartly planned borders and banding in your driveway, walkway or patio can elevate your project from good to great.





PAVER Richcliff (Smoke Shale)
ACCENT Courtstone (Basalt)



PAVER Artline™ (Steel Mountain)
ACCENT Series™ (Onyx Black)



PAVER Umbriano\* (Summer Wheat)
ACCENT Copthorne\* (3 Color Blend)



PAVER Bristol Valley\* (Steel Mountain)

ACCENT Copthorne (Basalt)



PAVER Brussels Premier<sup>™</sup> (Bavarian)
ACCENT Town Hall\* (Burnt Clay)



PAVER Thornbury™ (Bavarian)ACCENT Town Hall (Basalt)



PAVER Town Hall\* (3 Color Blend)
ACCENT Series (Golden Tan)



PAVER Brussels Block\* (Sierra)

ACCENT Il Campo\* (Heritage Brown)



PAVER Beacon Hill<sup>™</sup> Smooth (Granite Fusion)
ACCENT Umbriano (Midnight Sky)





UNILOCK' COLLECTION OF

# RETAINING WALLS & VERTICALS

Unlimited creative possibilities exist for retaining soil or building vertical features like grill islands and firepits. Now the durability of EnduraColor™ is available, thanks to our new U-Cara® multi-face wall system.



## **U-CARA**

## The U-Cara Multi-Face Wall System represents a revolution in wall design.

This patented system, exclusive to Unilock\*, is comprised of two basic components:

Sure Track™ backer blocks provide dimensionally accurate structure

U-Cara fascia panels provide unlimited design options



## 1

#### **CHOOSE YOUR BLOCK**



SURE TRACK STANDARD BACKER 6 x 8 x 6" 15 x 20 x 15cm



SURE TRACK LARGE BACKER 6 x 7 x 12" 15 x 17.5 x 30cm



#### SELECT YOUR FASCIA STYLE





STANDARD FASCIA PANEL (Umbriano\*, Series\*, Pitched & Smooth) 6 × 18½ × 2¾" 15 × 46.6 × 6cm

**COPING AND BASE UNITS** 

#### 3" PANEL NEW FOR 2019



STANDARD FASCIA PANEL (Series Finish Only) 3 × 9<sup>1</sup>/<sub>4</sub> × 2<sup>3</sup>/<sub>8</sub>" 7.5 × 23.3 × 6cm

U-Cara fascia panels are available in a variety of colors and textures, including exclusive Unilock EnduraColor<sup>™</sup> finishes.

#### **CLOSED END PANELS FOR CORNERS**





STANDARD FASCIA HALF PANEL (Umbriano, Series, Pitched & Smooth) 6 × 9¼ × 2¾" 15 × 23.3 × 6cm



CLOSED-END FASCIA PANEL (Umbriano, Series, Pitched & Smooth)  $6 \times 21 \times 2^{3}$ /s"  $15 \times 53 \times 6$ cm



UNIVERSAL COPING 19 x 14 x 2<sup>3</sup>/<sub>4</sub>" 48.2 x 35.5 x 7cm



**U-GRIP™ BASE PAD** 19 x 14 x 2" 48.2 x 35.5 x 5.5cm



SURE TRACK CORNER INSERT L = 2" 5cm



#### **U-CARA**®

#### TOP

#### WALL AND FIREPIT:

Opal (Smooth Face) with Universal Coping (Grey)

**PAVER:** Artline™

(Midnight Sky - Umbriano\* Finish)

#### воттом

#### GRILL ISLAND AND PILLARS:

Granite Fusion (Pitched Face)

PAVER: Beacon Hill" Smooth
(Granite Fusion) with Umbriano\*
(Midnight Sky) accent

#### OPPOSITE

#### GRILL ISLAND:

Opal (Smooth Face) with Granite Fusion (Pitched Face) accent and Universal coping (Grey) WALL: Granite Fusion (Pitched Face) with Universal coping (Grey)









#### WATER FEATURE

Bavarian (Smooth Face) with Universal Coping (Tan) and Ledgestone™ Pillar Cap (Buff)

#### SEAT WALL

Summer Wheat (Umbriano\* Finish) with Ledgestone coping (Buff)

**PAVER:** Umbriano (Summer Wheat) with Town Hall\* (3 Color Blend) accent

#### GRILL ISLAND

Opal (Smooth Face) with Granite Fusion (Pitched Face) accent and Universal Coping (Grey)

> Use U-Cara to build Retaining Walls, Seat Walls, Pillars, Planters, Fire Features, Grill Islands and more!



## **U-CARA**

#### **UMBRIANO**\* FINISH



FRENCH GREY NEW FOR 2019



SUMMER WHEAT NEW FOR 2019

#### **SERIES™ FINISH**



ONYX BLACK AVAILABLE IN 3" PANEL ONLY NEW FOR 2019

#### TECHNICAL ADVANTAGES

#### ENDURACOLOR"

Refined surface and long-lasting color

## UMBRIANO FINISH COLORFUSION™ TECHNOLOGY

Subtly mottled color finish

#### **SERIES FINISH**

Granite, Quartz and Marble surface materials

#### PITCHED FACE



BAVARIAN



**GRANITE FUSION** 



OPAL

#### **SMOOTH FACE**



BAVARIAN




**GRANITE FUSION** 



OPAL

U-Cara Fascia panels can be placed anywhere along the Sure Track Backer Block, allowing for a variety of patterns, color and texture combinations not possible with other systems.



For U-Cara we recommend using Ledgestone 14" x 30" coping. See page 142 for color options.







#### LEFT

PILLARS AND STEPS: Rapid Pillar System (Buff) with Ledgestone™ (Buff) treads

#### RIGHT

FIRE FEATURE: Coastal Slate with Natural Stone (Black River) coping

#### воттом

GRILL ISLAND: Coastal Slate with Copthorne\* (Basalt) accent PAVERS: Umbriano\* (Winter Marvel) and Courtstone\* (Basalt) accent



## RIVERCREST WALL

COLORS\*



COASTAL SLATE

#### TECHNICAL ADVANTAGES

#### **STONEMARK**

Naturally detailed surface

#### **REALA™ TECHNOLOGY**

Cast from natural stone



In 2013, Rivercrest Wall received the "red dot" award for high design quality and innovation.

RAPID PILLAR SYSTEM

reddot www.registration.pd.red-dot.de



BUFF





STANDARD UNIT 2 12 x 9-10 x 24" 31 x 23-25 x 6cm



STANDARD UNIT 3 12 × 9-10 × 2¼" 31 × 23-25 × 6cm

STANDARD UNIT 4 17 x 9-10 x 21/4" 42.5 x 23-25 x 6cm

#### RANDOM BUNDLE



JUMPER UNIT 1 8 x 9-10 x 4½" 20 x 23-25 x 11.4cm



JUMPER UNIT 2 12 x 9-10 x 4½" 31 x 23-25 x 11.4cm



JUMPER UNIT 3 12 x 9-10 x 4½" 31 x 23-25 x 11.4cm

JUMPER UNIT 4 17 × 9-10 × 4½" 42.5 × 23-25 × 11.4cm

#### JUMPER BUNDLE



LONG CORNER UNIT 17 ½ x 9-10 x 2 ¼" 45 x 23-25 x 5.7cm

CORNER BUNDLE



37.5 x 23-25 x 5.7cm



JUMPER CORNER UNIT 12 x 9-10 x 4½" 31 x 23-25 x 11.4cm




U-GRIP<sup>™</sup> BASE PAD 19 x 14 x 2" 48.2 x 35.5 x 5.5cm



PILLAR UNIT 20 x 20 x 4½" 50 x 50 x 11.4cm

Pillar cap sold separately.

#### COPING







#### **RIVERCREST FIREPIT KIT**

See page 133 for more information.





#### LEFT


GRILL ISLAND: Sierra PAVER: Artline™ (Sierra) with Town Hall® (Basalt) accent

#### RIGHT

PILLAR AND WALL: Granite Blend with Series" (Onyx Black) accent and Ledgestone" (Grey) coping and pillar cap

#### воттом

SEAT WALL AND WATER FEATURE:
Granite Blend with Natural Stone
(Stone Cliff Grey) coping
PAVER: Richcliff\* (Dawn Mist and
Pebble Taupe) with Courtstone\*
(Basalt) accent



## LINEO® DIMENSIONAL STONE



#### **COPING**

For Lineo Dimensional Stone pillar we recommend using Ledgestone  $24'' \times 24''$  pillar cap (page 142). For coping options see pages 139-146.





#### LEFT

PIZZA OVEN: Sierra with Copthorne\*
(Basalt) accent and Brussels
Fullnose™ (Sierra) details
PAVER: Bristol Valley\*
(Steel Mountain) with Copthorne\*

(Basalt) accent

#### RIGHT

SEAT WALL AND PILLARS: Sandstone with Town Hall' (Burnt Clay) accent and Ledgestone™ (Buff) coping

#### воттом

RETAINING WALL: Sierra with Copthorne\* (Basalt) accent and Sandstone coping



## **OLDE QUARRY®**







COFFEE CREEK





SANDSTONE SIERRA





15" UNIT 15 (12) x 4½ x 9" 38 (30.5) x 11.5 x 23cm

12" UNIT 12 (9) x 4½ x 9" 30.5 (23) x 11.5 x 23cm



9" UNIT 9 (6) x 4½ x 9" 23 (15) x 11.5 x 23cm

RANDOM BUNDLE



STANDARD/CORNER 4½ x 9 x 12" 11.5 x 23 x 30cm



COPING 12 (9) x 3 x 12" 30.5 (23) x 7.5 x 30.5cm



U-GRIP™ BASE PAD 19 x 14 x 2" 48.2 x 35.5 x 5.5cm

#### **COPING**

For Olde Quarry we recommend using Ledgestone 24" x 12" coping (page 142). For coping options see pages 139-146.







#### LEFT

WALL AND FIREPIT: River
PAVERS: Beacon Hill™
(Bavarian Blend) with Copthorne\*
(Basalt) accent

#### RIGHT

SEAT WALL AND PILLARS: River

#### воттом

**GRILL ISLAND:** Sierra with Copthorne (Basalt) accent



## **ESTATE WALL**®





GRANITE





SANDSTONE



6" LARGE UNIT 15 (12½) x 6 x 9" 38 (32) x 15 x 23cm



6" MEDIUM UNIT 12½ (10) x 6 x 9" 32 (25) x 15 x 23cm



6" SMALL UNIT 10 (7½) x 6 x 9" 25 (19) x 15 x 23cm



6" CORNER 12½ x 6 x 9" 32 x 15 x 23cm



COPING 12½ (9½) x 3 x 12" 32 (24) x 7.5 x 30cm



6" RANDOM BUNDLE

3" LARGE UNIT 15 (12½) x 3 x 9" 38 (32) x 7.5 x 23cm

3" RANDOM BUNDLE



3" MEDIUM UNIT 12½ (10) x 3 x 9" 32 (25) x 7.5 x 23cm



3" SMALL UNIT 10 (7½) x 3 x 9" 25 (19) x 7.5 x 23cm



3" CORNER 12½ x 3 x 9" 32 x 7.5 x 23cm



U-GRIP" BASE PAD 19 x 14 x 2" 48.2 x 35.5 x 5.5cm

#### **COPING**

For Estate Wall we recommend using Ledgestone 24"  $\times$  12" coping (page 142). For coping options see pages 139-146.







#### LEFT

WATER FEATURE: Granite with Copthorne\* (Basalt) accent and Ledgestone™ (Grey) coping PAVER: Copthorne (Basalt)

#### RIGHT

FIREPIT AND TV UNIT: Sandstone with Brussels Fullnose™ (Sandstone) coping PAVER: Beacon Hill™ Flagstone (Bavarian Blend) with Copthorne™ (3 Color Blend) accent

#### воттом

GRILL ISLAND: Sandstone with Series" (Onyx Black) accent and Brussels Fullnose (Sandstone) ledge PAVER: Brussels Block\* (Sandstone)



## **BRUSSELS DIMENSIONAL STONE®**







COFFEE CREEK

GRANITE NEW FOR 2019 SMALL TAPERED UNIT ONLY







STANDARD 4 x 8 x 12" 10 x 20 x 30cm



SMALL TAPERED UNIT
9 x 4 x 8"
22.9 x 10 x 20cm
NOT AVAILABLE IN LIMESTONE



U-GRIP<sup>™</sup> BASE PAD 19 x 14 x 2" 48.2 x 35.5 x 5.5cm

#### **SUNSET FIREPIT KITS**

AVAILABLE COLORS: Coffee Creek, Sandstone and Sierra See page 133 for more information.

#### Round




Square



#### **COPING**

For Brussels Dimensional Stone we recommend using Ledgestone  $24" \times 12"$  coping (page 142). For coping options see pages 139-146.





## **CUMBERLAND WALL®**





RIVER



6" LARGE UNIT 15 (12½) x 6 x 9" 38 (32) x 15 x 23cm



6" MEDIUM UNIT 12½ (10) x 6 x 9" 32 (25) x 15 x 23cm



6" SMALL UNIT 10 (7½) x 6 x 9" 25 (19) x 15 x 23cm



6" CORNER / PILLAR UNIT 12½ x 6 x 9" 32 x 15 x 23cm

RANDOM BUNDLE



## PISA2®







GRANITE AVAILABLE ONLY IN COPING, CORNER & XL WALL

NEVADA

SIERRA







40 x 15 x 30cm







U-GRIP™ BASE PAD 19 x 14 x 2" 48.2 x 35.5 x 5.5cm

132

## FIREPITS & FIREPLACES

#### RIVERCREST FIREPIT KIT This firepit kit is built with the Rivercrest\* Wall. See page 122 for colors.





#### SUNSET FIREPIT KIT This firepit kit uses Brussels Dimensional Stone\*. See page 130 for colors.









#### **BELLA**

The Bella pre-built fireplace is constructed from Rivercrest\* Wall (page 122).



#### **TUSCANY**


The Tuscany pre-built fireplace is constructed from Brussels Dimensional Stone\* (page 130) and Copthorne\* (page 108) accents.

## FIRE FEATURES



#### BRUSSELS DIMENSIONAL STONE

This unique fire table and water feature combination is built using Brussels Dimensional Stone\* (page 130) with Natural Stone coping (page 78).



#### **RIVERCREST WALL**

The fire table above is built using Rivercrest Wall (page 122) and Ledgestone coping (page 142).



#### LINEO® DIMENSIONAL STONE

This contemporary firepit feature is built with Lineo Dimensional Stone (page 124) and Ledgestone<sup>™</sup> coping (page 142).



#### U-CARA\*

This custom fire feature is built using our new U-Cara Multi-Face Wall System (page 116) and Universal coping (page 143).



REMEMBER To ensure a long lasting fire feature, direct exposure to extreme heat from an open flame should be avoided. Always construct fire features with a protective heat barrier such as a metal insert, refractory blocks or approved firebrick to prevent potential heat damage.

## PILLARS & WATER FEATURES



#### U-CARA

The unique pillar and seat wall is built using our new U-Cara Multi-Face Wall System (page 116) and Universal coping (page 143) with Ledgestone™ pillar cap (page 142).



#### LINEO' DIMENSIONAL STONE

This contemporary water feature is built using Lineo Dimensional Stone (page 124) and Natural Stone (page 78).



#### **BRUSSELS DIMENSIONAL STONE**

This double pillar entrance unit is built using Brussels Dimensional Stone (page 130) with Ledgestone pillar cap (page 142) and Town Hall (page 104) accent.



#### RIVERCREST' WALL

This poolside hot tub feature is built using Rivercrest\* Wall (page 122) with Copthorne (page 108) accent Ledgestone coping (page 142).



#### RIVERCREST" PILLAR UNIT

The pillar above is built using the Rivercrest Wall Rapid Pillar System (page 122) with Umbriano (page 84) accent and Ledgestone (page 142) pillar cap.



#### **BRUSSELS DIMENSIONAL STONE**

The unique water feature above is built with Brussels Dimensional Stone and Brussels Fullnose<sup>™</sup> (page 130) with Ledgestone pillar cap (page 142) and Copthorne<sup>\*</sup> accent (page 108).



LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom water feature or pillar that's just right for your project.

## **GRILL ISLANDS**



#### U-CARA\*

This unique grill is built using our new U-Cara Multi-Face Wall System (page 116) with Universal coping (page 143) and porcelain tile (page 80) counter-top.



#### LINEO' DIMENSIONAL STONE

This modern grill island is built using Lineo Dimensional Stone (page 124).



#### **BRUSSELS DIMENSIONAL STONE**

The grill island shown above is built with Brussels Dimensional Stone (page 130) with Series<sup>™</sup> (page 90) accent and Ledgestone<sup>™</sup> (page 142) counter-top and coping.



#### RIVERCREST' WALL

This exceptional grill island is built using Rivercrest Wall (page 122) with Umbriano\* (page 84) accent.



LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom grill island that's just right for your project.





#### **WALLS**

## BORDERS & BANDING

Using contrasting colors and textures to band landscape walls and other vertical features is a popular design touch. These features can be coordinated with borders and banding in the paving portion of your project.









WALL Lineo Dimensional Stone (Sierra)
ACCENT Umbriano\* (Summer Wheat)

WALL Olde Quarry (Sierra)
ACCENT Il Campo\* (Heritage Brown)







WALL U-Cara (Opal)
ACCENT U-Cara (Onyx Black) Series Finish

WALL Estate Wall\* (Granite)
ACCENT Copthorne (Basalt)

WALL Estate Wall (Sierra)

ACCENT II Campo (Heritage Brown)







WALL Rivercrest\* Wall (Coastal Slate)
ACCENT Copthorne (Basalt)

WALL U-Cara (Bavarian) Smooth Face ACCENT U-Cara (Bavarian) Pitched Face

WALL U-Cara (Granite Fusion) Pitched Face
ACCENT U-Cara (Opal) Smooth Face





UNILOCK' COLLECTION OF

## STEPS, TREADS & COPING

From classic, fullnose shapes to pitched-face edges, our steps, treads and coping offer a wide variety of choices for the finishing touch on your project.





#### LEFT

Ledgestone Fullnose Buff with Brussels Dimensional Stone\* (Sierra)

#### RIGHT

Ledgestone Step Buff

#### воттом

Ledgestone Coping Buff with Brussels Dimensional Stone (Limestone)



## LEDGESTONE STEPS & COPING





#### **TECHNICAL ADVANTAGES**

#### STONEMARK<sup>®</sup>

Naturally detailed surface

#### REALA™ TECHNOLOGY

Cast from natural stone

BUFF



CLOSED END COPING 24 x 12 x  $2^{3}/4$ " 61 x 30.5 x 7cm



LARGE CLOSED END COPING  $30 \times 13\frac{1}{2} \times 2\frac{3}{4}$ "  $122 \times 61 \times 7$ cm

FULLNOSE COPING 24 x 12 x 2<sup>3</sup>/<sub>8</sub>" 61 x 30.5 x 6cm



19







36" STEP 36 x 18 x 6" 91.4 x 45.7 x 15.2cm









STATE OF THE PARTY OF THE PARTY

#### LEDGESTONE PILLAR CAP

24" PILLAR CAP 24 x 24 x 3½" 60 x 60 x 9cm 28" PILLAR CAP 28.5 x 28.5 x 3½" 72 x 72 x 9cm









## **FULLNOSE COPING**

#### 6 X 12" FULLNOSE



SANDSTONE

NON-ANTIQUED 6 x 12 x 2¾" 15 x 30 x 7cm



COFFEE CREEK

LIMESTONE

LIMESTONE





SIERRA

#### **BRUSSELS FULLNOSE**



STANDARD 6 x 12 x 2¾" 15 x 30 x 7cm









SIERRA

## **UNIVERSAL COPING**





TAN

UNIVERSAL COPING 19 x 14 x 2<sup>3</sup>/<sub>4</sub>" 48.2 x 35.5 x 7cm

GREY

#### **TECHNICAL ADVANTAGES**

#### ENDURACOLOR®

Refined surface and long-lasting color

**COFFEE CREEK** 



## SIENASTONE® & SIENASTONE SMOOTH







(OPING/STEP UNIT 39 x 20 x 7¼" 100 x 50 x 18.5cm







**Note:** 2 Edge details available on the same unit (Chamfer and Rounded) Contact a Unilock representative for more information.





**ESTATE WALL COPING** 

## PISA2° COPING
















Sancer /

12" (OPING 12 x 3 x 12" 30 x 7.5 x 30cm

COPING 12½ (9½) x 3 x 12" 32 (24) x 7.5 x 30cm





## **NATURAL STONE COPING & STEPS**







STONE CLIFF GREY

12 x 48 x 2"

30 x 120 x 5cm

INDIAN COAST

BLACK RIVER





NATURAL EDGE COPING 6' 12 x 72 x 2" 30 x 183 x 5cm



FULLNOSE (OPING 4' FULLNOSE (OPING 6' 12 x 48 x 2" 12 x 72 x 2" 30 x 120 x 5cm 30 x 183 x 5cm




NATURAL EDGE STEP 16 x 48 x 6" 40 x 120 x 15cm




24" PILLAR CAP 24 x 24 x 4" 60 x 60 x 10cm

28" PILLAR CAP 28.5 x 28.5 x 4" 72 x 72 x 10cm


### POPULAR LAYING PATTERNS




**BEACON HILL™ RANDOM A** - 40% Large Rectangle, 40% Square, 20% Small Rectangle




**BEACON HILL™ RANDOM B** - 40% Large Rectangle, 40% Square, 20% Small Rectangle




**BEACON HILL™ G** - 50% Random Bundle, 50% XL Unit




**BEACON HILL™ H -** 40% Random Bundle, 60% XL Unit




BRISTOL VALLEY™ RANDOM A - 40% Large Rectangle, 20% Small Rectangle, 40% Square




BRISTOL VALLEY™ RANDOM B - 40% Large Rectangle, 20% Small Rectangle, 40% Square




BRISTOL VALLEY™ C - 50% Random Bundle, 50% XL Unit




BRISTOL VALLEY™ D - 40% Random Bundle, 60% XL Unit




ARTLINE™ RANDOM - 100% Random Bundle




BRUSSELS BLOCK\* AC - 50% XL, 50% Standard




BRUSSELS BLOCK Y - 57% XL, 29% Standard, 14% Half




BRUSSELS BLOCK Z - 67% XL, 20% Standard, 13% Half




II CAMPO\* H - 60% 6 x 8", 10% 4 x 6", 30% 6 x 6"



COPTHORNE® A - 100% Standard




COPTHORNE® A - 100% Standard




COURTSTONE" - 100% Random Bundle

### POPULAR LAYING PATTERNS




MATTONI\* A - 100% Standard




MATTONI B - 100% Standard




**RIVENSTONE**™ **A** - 45% 24 x 24″, 33% 18 x 24″, 22% 12 x 24″




SERIES™ RANDOM A - 40% Large Rectangle, 40% Square, 20% Small Rectangle




**RICHCLIFF**\* **A** - 53% 12 x 9", 20% 9 x 9", 27% 6 x 9"




**RICHCLIFF** B - 53% 12 x 9", 20% 9 x 9", 27% 6 x 9"




**RICHCLIFF** E - 45% Random Bundle, 55% Large Rectangle




RICHCLIFF\* F - 45% Random Bundle, 55% Large Rectangle




**THORNBURY**™ **A** - 49% Large Rectangle, 34% Medium Rectangle, 17% Small Rectangle




**THORNBURY**™ **C** - 49% Large Rectangle, 34% Medium Rectangle, 17% Small Rectangle




TOWN HALL\* A - 100% Standard




TOWN HALL\* B - 100% Standard




**TRIBECA COBBLE** $^{™}$  - 100% Random Bundle



**WESTPORT** A - 40% Large Rectangle, 20% Small Rectangle, 40% Square



UMBRIANO\* RANDOM A - 40% Large Rectangle, 40% Square, 20% Small Rectangle



**UMBRIANO** RANDOM B - 40% Large Rectangle, 40% Square, 20% Small Rectangle

#### INDFX

#### PAVERS AND WALLS

88 Arcana Artline" 74...5, 8, 12, 16 Beacon Hill™ Flagstone 60...18-19 Beacon Hill™ Smooth 64...10, 13, 45, 113 Bristol Valley\* 68...8, 18 Brussels Block\* 50...6, 12, 22 Brussels Dimensional Stone® 130...4, 9, 12, 16, 19 Brussels Fullnose™ 143...12, 18 Brussels Premier™ 56 Camelot™ 51 Copthorne\* 108...6, 8, 11-12, 19 Courtstone\* 100...6, 19, 21, 23-24 Cumberland Wall\* 131 Eco-Priora<sup>™</sup> 51 128...19 Estate Wall\* Estate Wall Coping 145 Fullnose 6 x 12" 143 52 Hollandstone™ Holland Premier™ 54 53 II Campo\* Ledgestone™ 142...5, 9, 12, 16, 18 Lineo® Dimensional Stone 124...3, 9, 12 Mattoni 72...18 Natural Stone 78...3-4, 10, 24 Natural Stone Coping & Steps 146...6 Olde Greenwich Cobble® 49 Olde Quarry® 126...18 Pisa2\* 132 Pisa2 Coping 145 Porcelain Tile 80 Richcliff\* 96...4, 9, 14 Rivercrest\* Wall **122...**1-2, 4, 8, 15, 18, 22 Rivenstone™ 82 Senzo™ 94 Series™ 90...8, 9, 16 SienaStone\* 144 Skyline™ 93 Thornbury™ 58...21, 23 Tribeca Cobble™ 92...11, 24

104...6, 15, 19-20, 22

84...1-2, 6-7, 15-17, 19, 21

116...7, 10, 16, 113

143

48

#### **TOPICS OF INTEREST**

Borders and Banding, Pavers 111-112 Borders and Banding, Walls 137-138 Classic 27 ColorFusion<sup>™</sup> 28...74, 84, 120 Construction 101 Coping 139-146 EnduraColor™ 27 Elegance™ 27 EasyClean™ 28...68, 74, 84, 88, 94 **Firepits** 133...4, 7, 9, 16, 59, 75, 77 Fireplaces 133...9, 19 Grill Islands 136...9, 15, 87 Joint Material 30 Laying Patterns 147-148 32 Maintenance Outdoor Idea Center Permeable Pavers 31...51, 58, 84, 92, 106 Pillars 135...8, 12, 22, 69, 81 Design 39...38 Reala™ 28...82, 98, 102, 106, 110, 122, 142 113-132...2, 10, 18-19 Retaining Walls Sealing 32



Steps

Ultima™

Water Features

#### ON THE COVER

139-146

28...98, 102, 106, 110

135...12, 16, 65

**PAVER:** Beacon Hill Smooth (Granite Fusion) with Town Hall (Basalt) accent

**SEAT WALL:** U-Cara (Granite Fusion Pitched Face) with U-Cara (Opal Smooth Face) accent and

Universal Coping (Grey) with Ledgestone (Grey) pillar cap

FIREPIT: U-Cara (Opal Smooth Face)

 $\label{thm:condition} \mbox{Unilock Ltd.} \ \mbox{and Hengestone Holdings, Inc.} \ \mbox{are the owners or authorized users of all trademarks used in this publication unless otherwise specified.}$ 

Senzo<sup>™</sup> and Umbriano<sup>®</sup> are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock<sup>®</sup>. Measurements throughout this portfolio are nominal.

 $Not all \ products \ shown \ are \ available \ at \ all \ Unilock \ locations. \ Log \ on \ to \ Unilock.com \ for \ availability.$ 

\*Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

©2019 Hengestone Holdings, Inc

Town Hall\*

Umbriano\*

Westport™

**Universal Coping** 

U-Cara\*

# Quality FOR US, IT'S PERSONAL

ver 40 years ago, our founder stumbled upon a unique little European product called the Uni-Stone. Intrigued by the benefits of this revolutionary paving method, he decided to license the product and bring the concept to North America. He purchased a basic paver machine from Europe and hired a small staff to produce the stones.

In those days, most sales of Unilock\* were to large-scale commercial properties and streetscapes. Any lapse in quality would be costly and would jeopardize our owner's personal reputation. So quality was of paramount importance.

From these humble beginnings, through to the multinational company we are today, Unilock has remained a

family-owned company that puts quality first. For us, it's not just a matter of dollars and cents, it's our personal reputation that's on the line. Our customers - Homeowners, Contractors, Landscape Designers and Architects, across North America - can rely on us to supply them with quality product every time.



We provide a Transferable
Lifetime Guarantee on the
structural integrity of our
paving stones, slabs and
retaining wall units for
residential use. Any materials
installed and maintained
to our guidelines, and subject
to normal wear, that prove
defective, will be replaced
without cost. Color matching
cannot be guaranteed
and replacement labor
is not included.



Founder Ed Bryant - circa 1972



#### UNILOCK.COM | 1-800-UNILOCK

BOSTON (508) 278-4536

BUFFALO (716) 822-6074

CHICAGO (630) 892-9191

MILWAUKEE (262) 742-3890

KANSAS (913) 417-7985

MICHIGAN (248) 437-7037 NEW YORK (845) 278-6700

MID-ATLANTIC (202) 798-2060

ONTARIO (416) 646-9000

OHIO / WESTERN PA (330) 927-4000

CINCINNATI / KY / TN (513) 202-0219

